














Shenzhen GET Tech Co.,Ltd

www.dimcct.com, Email:info@dimcct.com

Minimalism Aluminum Profile For Cabinet

Model	Photo	Size(mm)	fit LED width	Cover
1010A		10*10	8mm	milky PC cover
1010B		10*10 with edge	8mm	milky PC cover
1001		6*9	5mm	Silicone cover
1002		11*11	5mm	Silicone cover
1003		18*9	5mm	Silicone cover


1004			6*18	5mm	Silicone cover
1005			36*12	5mm	Silicone cover
1006			23*8	5mm	Silicone cover
1007			12*10	5mm	Silicone cover
CG-1110			11*10	8mm	PC cover
CG-1009			10*9	5mm	PC cover

CG-0809			8*9	5mm	PC cover
1008			5*18	5mm	Silicone cover
1009			10*10XG	5mm	Silicone cover
1010			10*11	8mm	milky PC cover
1011			10*10XY	8mm	milky PC cover
1012			21*12	8mm	milky PC cover

1013			8*8 right-angle	3mm	milky PC cover
1018			10*10 right-angle	5mm	milky PC cover
1015			32*12	5mm	milky PC cover
1017			17*12.5	8mm	milky PC cover
DG-0016			to clip 17mm thick board	12mm	milky PC cover
1030			to clip 17mm thick board	12mm	milky PC cover
DG-0017			to clip 13mm thick glass	5mm	milky PC cover

Flex LED Strip for Cabinet Profile

Series	Model	Emitting color	Power/m	Lumen	PCB
3 led per cut	12V/24V-2835-120D-5MM	CW/WW/NW/Blue	8.3W	22-24LM/LED	5mm wide
	12V/24V-2835-120D-8mm	CW/WW/NW/Blue	8.3W	22-24LM/LED	8mm wide
	12V/24V-2835-120D-8mm(high CRI)	CW/WW/NW/Blue	9.3W	24-26LM/LED	8mm wide
1 led 1 cut	12V/24V-2835-120D-5MM-1 LED 1 cut	CW/WW/NW/Blue	6.6W	30LM/LED	5mm wide
	12V/24V-2835-120D-8MM-1 LED 1 cut	CW/WW/NW/Blue	6.6W	30LM/LED	8mm wide

	12V/24V 2835 2-wire 120D CCT Tunable White LED Strip	CW+WW Tunable CCT 	8W	30LM/LED	5mm wide
--	--	---	----	----------	----------

Single Color LED Dimmer

Product	Model	Photo	Specs
RF Wireless Dimmer	V-RF86-01		input: DC5-24V output power: 5V:<150W, 12V:<360W, 24V:<720W receiver size:L85*W62*H22mm remote size: L86*W86*H12mm
Top Manual Rotary Dimmer	V-T30		input: DC12-24V output power: 12V:<360W, 24V:<720W carton :435*355*200mm/100pcs
RF Wireless Dimmer	V-RF-T30		input: DC12-24V output power: 12V:<360W, 24V:<720W carton :435*355*200mm/100pcs
RF Wireless Touch Dimmer	V-RFTC-01		input: DC12-24V output power: 3ch*6A, 12V:<216W, 24V:<432W carton :690*420*260mm/50pcs
mini Wireless Dimmer	V-RF-M1		input: DC5-24V output power: 1ch*6A, 5V:<30W,12V:<72W, 24V:<144W
4 zone 2.4G Dimmer	V-T2.4G-01		input: DC12-24V output power: 3ch*4A, 12V:<144W, 24V:<288W
Amplifier for single color dimmer	V-AMF-T1		input: DC5-24V output power: <3ch*10A, 12V:<360W; 24V:<720W

Tunable CCT LED Dimmer

Product	Model	Photo	Specs
2-Wire, 3-Wire CCT Wireless Touch LED Dimmer	V-RF86-02		input: DC12-24V output: 2ch for both 2 wire CCT and 3 wire CCT Output power: <math>5A \times 2CH, 12V: < 120W, 24V: < 240W</math>
2-Wire, 3-Wire CCT Wireless 17 Key LED Dimmer	V-RF17-02		input: DC12-24V output: 2ch for both 2 wire CCT and 3 wire CCT Output power: <math>5A \times 2CH, 12V: < 120W, 24V: < 240W</math>
2-Wire Dimmer Amplifier	V-AMF-T2		input: DC12-24V output: 2ch for both 2 wire CCT and 3 wire CCT Output power: <math>5A \times 2CH, 12V: < 120W, 24V: < 240W</math>